







NOTES:

0. ALL DRAWINGS ARE IN METRIC MEASUREMENTS
1. ALL ENGINEERING PRACTICES SHALL BE APPLIED WITH REGARDS TO HOLE AND SHAFT TOLERANCES.
2. WHERE SCREWS OR BOLTS ARE USED THE CLEARANCE HOLES SHALL BE APPROXIMATELY 5% TO 8% LARGER THAN THE MATCHING TAPPED HOLE.
3. PREFERABLY ALL TAPPED HOLES AND MATCHING SCREWS AND/OR BOLTS TO BE METRIC FINE (MF)
4. MATERIALS SPECIFIED ON THE DRAWINGS ARE INDICATIVE ONLY. THE BUILDER CAN MAKE HIS/HER OWN MATERIAL CHOICE.
5. ALL CONNECTIONS/JOINTS WHICH HAVE STEAM PRESSURE APPLIED TO IT SHALL BE SILVER/HARD SOLDERED.
6. COMPRESSION SPRINGS ARE DRAWN IN COMPRESSED STATE (CP), UNCOMPRESSED STATE IS APPROX 40% TO 60% LONGER THEN COMPRESSED STATE.
7. WHERE PREFERRED SCREW OR RIVETED CONNECTIONS CAN BE OMITTED AND PARTS CAN BE BONDED TOGETHER BY USING EITHER HIGH STRENGTH GLUE, EPOXY RESIN, OR SOLDER.
8. PARTS WHICH ARE DIRECTLY EXPOSED TO STEAM AND/OR WATER SHOULD BE CONSTRUCTED USING NON-FERROUS OR NON CORROSIVE MATERIAL SUCH AS BRASS, BRONZE, GUNMETAL, STAINLESS STEEL, COPPER OR MONEL.
9. THE ORDER IN WHICH THE PARTS/COMPONENTS ARE MANUFACTURED AND THE MODEL IS ASSEMBLED IS ENTIRELY LEFT TO THE BUILDER/MODEL MAKER.
10. A COLOUR SCHEME FOR THIS PROJECT IS ENTIRELY LEFT UP TO THE MODEL MAKER.
11. THE MANNER IN WHICH THE PARTS/COMPONENTS ARE MANUFACTURED IS ENTIRELY LEFT UP TO THE BUILDER.
12. USE LOCTITE, ON SCREW OR PRESS FIT CONNECTIONS OR SURFACES, WERE DEEMED NECESSARY TO PREVENT PARTS FROM LOOSENING.
13. WASHERS AND/OR SPRINGWASHERS SHALL BE USED WHERE DEEMED NECESSARY.
- XX. ERRORS AND/OR OMISSIONS MAY OCCUR IN THE DRAWINGS. DO NOT HESITATE TO CONTACT ME SO THAT THE ERRORS/OMISSIONS CAN BE RECTIFIED.

DUE TO THE LACK OF INFORMATION ON THE ORIGINAL DRAWING(S), SUCH AS VIEWS, DIMENSIONS, SECTIONS ETC AND/OR CLARITY OF COMPONENTS, SOME OF THE COMPONENTS MIGHT NOT BE AS CONSTRUCTED ORIGINALLY

THE OFF SET ANGLE OF THE ECCENTRIC IN RELATION TO THE CRANK AXIS TO BE EXPERIMENTALLY DETERMINED FOR THE SMOOTH RUNNING OF THE ENGINE AND SATISFACTION OF THE BUILDER





ADDITIONAL NOTES ABOUT THESE DRAWINGS:

1) NO MATERIALS HAVE BEEN SPECIFIED ON THESE DRAWINGS. THE BUILDER TO CHOOSE ITS OWN PREFERRED MATERIAL FOR THE PARTS/COMPONENTS. THE FOLLOWING COLOURS ON THE DRAWINGS INDICATES POSSIBLE MATERIALS WHICH CAN BE USED FOR PARTS: YELLOW=BRASS, LIGHT GREY=ALUMINIUM OR MILD STEEL, REDDISH BROWN=COPPER, DARK BROWN=BRONZE OR GUN METAL, WHITISH=SILVER STEEL OR STAINLESS STEEL

2) FASTENERS. NO FASTENERS SUCH AS BOLTS, SCREWS, RIVETS, NUTS AND WASHERS HAVE BEEN SHOW ON THESE DRAWINGS. THE BUILDER TO CHOOSE ITS OWN PREFERRED TYPE OF FASTENERS.

OTHER ABBREVIATIONS

AS = AS SHOWN
DP = DEEP
DAA= DRILL AFTER ASSEMBLY
D&TAA= DRILL AND TAP AFTER ASSEMBLY
CF = CLOSE FIT (SIZE FOR SIZE)
PF = PRESS FIT
PFAA= PRESS FIT AFTER ASSEMBLY
PCD = PITCH CIRCLE DIAMETER
RM = REAM
HEX = HEXACON, 6SIDED
CP = COMPRESSED
KNL = KNURLED
CSK = COUNTERSINK
PL = PLACES
DWL= DOWEL
SPF= SPOTFACE
(T)HESOP=(TAPPED)HOLES EQUALLY SPACED ON PCD
(T)HESOC=(TAPPED)HOLES EQUALLY SPACED ON CIRCUMFERENCE
OD = OUTSIDE DIAMETER
ID = INSIDE DIAMETER
MAX/MIN = CRITICAL DIMENSION
[SA-xxx]= SUB ASSEMBLY-xxx



NOTES: FOUND THE ORIGINAL LITHOGRAPH ON THE INTERNET. FOUND ALSO THE FOLLOWING TITLE: A patent 3-cylinder oscillating steam engine for marine use. Designed by John Scott Russell (1808-1882) a Scottish civil engineer, naval architect and shipbuilder. Dated 19th Century

TITLE
AN EXPERIMENTAL 3 CYLINDER OSCILATING
PUMPING STEAM ENGINE (B=25mm S=36mm)

DRAWING CONTENTS

ISOMETRIC VIEWS

PARTS AND ASSEMBLIES


PROJECT No 09D-25-00

JDW DRAUGHTING SERVICES

J.A.M. DE WAAL. 12 BRIGHTWELL STREET PAKAKURA
2110. NEW ZEALAND. PHONE: 0064 09 2988815. MOB:
0211791000 E-MAIL: dewaal@xtra.co.nz.



PROJECTION 	JDWDS	MODEL SCALE: 1:1
DATE JULY 2021	DWG SCALE: 1:1 @A3 OR AS SHOWN	
SHEET: 02 OF 06	Copyright © J.A.M. DE WAAL PAPAKURA NZ	
A3		No: 09D-25-00-SHT02

DRAWINGS ARE FOR PERSONAL USE ONLY NOT FOR COMMERCIAL PURPOSES



NOTES: FOUND THE ORIGINAL LITHOGRAPH ON THE INTERNET. FOUND ALSO THE FOLLOWING TITLE: A patent 3-cylinder oscillating steam engine for marine use. Designed by John Scott Russell (1808-1882) a Scottish civil engineer, naval architect and shipbuilder. Dated 19th Century			PROJECT No 09D-25-00 JDW DRAUGHTING SERVICES J.A.M. DE WAAL, 12 BRIGHTWELL STREET PAKAPURA 2110, NEW ZEALAND. PHONE: 0064 09 2988815. MOB: 0211791000 E-MAIL: dewaal@xtra.co.nz.		MODEL SCALE: 1:1 DWG SCALE: 1:1 @A3 OR AS SHOWN Copyright © J.A.M. DE WAAL PAKAPURA NZ
TITLE AN EXPERIMENTAL 3 CYLINDER OSCILATING PUMPING STEAM ENGINE (B=25mm S=36mm)			DRAWING CONTENTS PARTS AND ASSEMBLIES		SHEET: 05 OF 06 A3 No: 09D-25-00-SHT05

DRAWINGS ARE FOR PERSONAL USE ONLY NOT FOR COMMERCIAL PURPOSES



NOTES: FOUND THE ORIGINAL LITHOGRAPH ON THE INTERNET. FOUND ALSO THE FOLLOWING TITLE: A patent 3-cylinder oscillating steam engine for marine use. Designed by John Scott Russell (1808-1882) a Scottish civil engineer, naval architect and shipbuilder. Dated 19th Century			
TITLE	DRAWING CONTENTS	PROJECT No	PROJECTION
AN EXPERIMENTAL 3 CYLINDER OSCILATING PUMPING STEAM ENGINE (B=25mm S=36mm)	RENDERED PICTURE AND ORIGINAL LITHOGRAPH	09D-25-00	JDWDS
		JDW DRAUGHTING SERVICES	MODEL SCALE: 1:1
		J.A.M. DE WAAL, 12 BRIGHTWELL STREET PAKAPURA	DWG SCALE: 1:1 @A3 OR AS SHOWN
		2110, NEW ZEALAND. PHONE: 0064 09 2988815. MOB:	DATE JULY 2021
		0211791000 E-MAIL: dewaal@xtra.co.nz.	Copyright © J.A.M. DE WAAL PAKAPURA NZ
			SHEET: 06 OF 06
			A3 No: 09D-25-00-SHT06

DRAWINGS ARE FOR PERSONAL USE ONLY NOT FOR COMMERCIAL PURPOSES